This listing of claims will replace all prior versions and listings of claims in the application:

## LISTING OF CLAIMS

- (Currently Amended) An oxygen-delivery wound treatment device matrix, comprising, a biocompatible, single unit matrix eapable of for delivering oxygen, comprising
  - a) a swellable, cross-linked polyacrylamide polymer network,

and

- (b) deliverable oxygen in <u>elastic\_closed cells that are permeable to gas\_within the cross-linked</u> polyacrylamide polymer network wherein after the polyacrylamide polymer network is cross-linked, the closed cells are formed by oxygen, <u>produced\_by reacting\_a\_catalyst</u> and a second reactant, and wherein with use of the matrix, oxygen is delivered from the closed cells.
- 2. (Original) The matrix of Claim 1, further comprising at least one active agent.
- (Canceled)
- (Previously Presented) The matrix of Claim 1, wherein the oxygen delivery matrix further comprises a non-gellable polysaccharide.
- (Canceled)
- 6. (Previously Presented) The matrix of Claim 1, wherein the second reactant is a peroxide.
- (Canceled)
- (Previously Presented) The matrix of Claim 1, wherein the catalyst is a carbonate salt, a salt of iodide, manganese dioxide, cupric chloride, ferric chloride or an enzyme.

9-20. (Canceled)

1139157 Page 2 of 16

21. (Previously Presented) The matrix of Claim 2, wherein the at least one active agent comprises gases, anti-microbial agents, anti-fungal agents, anti-bacterial agents, anti-viral agents, anti-parasitic agents, mycoplasma treatments, growth factors, proteins, nucleic acids, angiogenic factors, anesthetics, mucopolysaccharides, metals, pharmaceuticals, chemotherapeutic agents, herbicides, growth inhibitors, wound healing agents, growth promoters, indicators of change in the environment, enzymes, nutrients, vitamins, minerals, carbohydrates, fats, fatty acids, nucleosides, nucleotides, amino acids, sera, antibodies and fragments thereof, lectins, immune stimulants, immune suppressors, coagulation factors, neurochemicals, cellular receptors, antigens, adjuvants, or radioactive materials.

## (Canceled)

- 23. (Previously Presented) The matrix of Claim 21, wherein the anti-microbial agents comprises isoniazid, ethambutol, pyrazinamide, streptomycin, clofazimine, rifabutin, fluoroquinolones, ofloxacin, sparfloxacin, rifampin, azithromycin, clarithromycin, dapsone, tetracycline, erythromycin, ciprofloxacin, doxycycline, ampicillin, amphotericin B, ketoconazole, fluconazole, pyrimethamine, sulfadiazine, clindamycin, lincomycin, pentamidine, atovaquone, paromomycin, diclazaril, acyclovir, trifluorouridine, foscarnet, penicillin, gentamicin, ganciclovir, iatroconazole, miconazole, Zn-pyrithione, silver salts, chloride, bromide, iodide, or periodate.
- 24. (Previously Presented) The matrix of Claim 21, wherein the growth factors comprise basic fibroblast growth factor, acidic fibroblast growth factor, nerve growth factor, epidermal growth factor, insulin-like growth factors 1 and 2, platelet derived growth factor, tumor angiogenesis factor, vascular endothelial growth factor, corticotropin releasing factor, transforming growth factors α and β, interleukin-8, granulocyte-macrophage colony stimulating factor, interleukins, or interferons.
- 25. (Previously Presented) The matrix of Claim 21, wherein the mucopolysaccharides comprise heparin, heparin sulfate, heparinoids, dermatitin sulfate, pentosan polysulfate,

1139157 Page 3 of 16

chondroitin sulfate, hyaluronic acid, cellulose, agarose, chitin, dextran, carrageenan, linoleic acid, or allantoin.

 (Previously Presented) The matrix of Claim 21, wherein the proteins comprise collagen, cross-linked collagen, fibronectin, laminin, elastin, or cross-linked elastin.

27. (Previously Presented) The matrix of Claim 21, wherein the metals comprise zinc or silver.

28. (Previously Presented) The matrix of Claim 1, wherein the matrix comprises a stranded configuration.

29-30. (Canceled)

31. (Previously Presented) The matrix of Claim 1, further comprising a water loss control agent comprising petrolatum, glycolipids, ceramides, free fatty acids, cholesterol, triglycerides, sterylesters, cholesteryl sulfate, linoleic ethyl ester, or silicone oil.

 (Previously Presented) The matrix of Claim 1, further comprising a plasticizer comprising glycerol, water, propylene glycol, or butanol.

- 33. (Previously Presented) The matrix of Claim 1, further comprising a hydration control agent comprising isopropyl alcohol, ethanol, glycerol, butanol, or propylene glycol.
- (Previously Presented) The matrix of Claim 4, wherein the non-gellable polysaccharide is guar gum.
- 35. (Previously Presented) The matrix of Claim 8, wherein the enzyme is catalase.

(Canceled)

1139157 Page 4 of 16

## 37. (Canceled)

- 38. (Currently Amended) An oxygen delivery <u>wound treatment</u> device, comprising a biocompatible, single unit matrix <del>eapable of</del> for delivering oxygen, comprising;
  - a swellable, cross-linked polyacrylamide polymer network;
- deliverable oxygen in <u>elastic</u> closed cells <u>that are permeable to gas and</u> within the cross-linked polyacrylamide polymer network where a second reactant and a catalyst reaction occurred, and
- c) at least one active agent; wherein the cross-linked polyacrylamide polymer network is cross-linked prior to oxygen formation, wherein the deliverable oxygen is within the closed cells and is produced by reacting the catalyst with the second reactant to create, where the second reactant and catalyst reaction occurred, multiple closed cells containing deliverable oxygen and with use of the matrix, oxygen is delivered from the closed cells.
- 39. (Currently Amended) A biocompatible, single unit cross-linked polyacrylamide matrix, comprising a swellable, cross-linked polyacrylamide polymer network, and deliverable oxygen in <u>elastic</u> closed cells <u>that are permeable to gas and within the cross-linked polyacrylamide polymer network at sites where a reaction of a catalyst and a second reactant occurred.</u>
- 40. (Previously Presented) The matrix of Claim 38, wherein the oxygen delivery matrix further comprises a non-gellable polysaccharide.
- (Previously Presented) The matrix of Claim 38, wherein the second reactant is a peroxide.
- 42. (Previously Presented) The matrix of Claim 38, wherein the catalyst is a carbonate salt, a salt of iodide, manganese oxide, cupric chloride, ferric chloride, or an enzyme.
- 43. (Previously Presented) The matrix of Claim 38, wherein the at least one active agent comprises gases, anti-microbial agents, anti-fungal agents, anti-bacterial agents, anti-viral agents, anti-parasitic agents, mycoplasma treatments, growth factors, proteins, nucleic acids, angiogenic

1139157 Page 5 of 16

factors, anesthetics, mucopolysaccharides, metals, pharmaceuticals, chemotherapeutic agents, herbicides, growth inhibitors, wound healing agents, growth promoters, indicators of change in the environment, enzymes, nutrients, vitamins, minerals, carbohydrates, fats, fatty acids, nucleosides, nucleotides, amino acids, sera, antibodies and fragments thereof, lectins, immune stimulants, immune suppressors, coagulation factors, neurochemicals, cellular receptors, antigens, adjuvants, or radioactive materials.

# (Canceled)

- 45. (Previously Presented) The matrix of Claim 43, wherein the anti-microbial agents comprises isoniazid, ethambutol, pyrazinamide, streptomycin, clofazimine, rifabutin, fluoroquinolones, ofloxacin, sparfloxacin, rifampin, azithromycin, clarithromycin, dapsone, tetracycline, erythromycin, ciprofloxacin, doxycycline, ampicillin, amphotericin B, ketoconazole, fluconazole, pyrimethamine, sulfadiazine, clindamycin, lincomycin, pentamidine, atovaquone, paromomycin, diclazaril, acyclovir, trifluorouridine, foscarnet, penicillin, gentamicin, ganciclovir, iatroconazole, miconazole, Zn-pyrithione, silver salts, chloride, bromide, iodide, or periodate.
- 46. (Previously Presented) The matrix of Claim 43, wherein the growth factors comprise basic fibroblast growth factor, acidic fibroblast growth factor, nerve growth factor, epidermal growth factor, insulin-like growth factors 1 and 2, platelet derived growth factor, tumor angiogenesis factor, vascular endothelial growth factor, corticotropin releasing factor, transforming growth factors α and β, interleukin-8, granulocyte-macrophage colony stimulating factor, interleukins, or interferons.
- 47. (Previously Presented) The matrix of Claim 43, wherein the mucopolysaccharides comprise heparin, heparin sulfate, heparinoids, dermatitin sulfate, pentosan polysulfate, chondroitin sulfate, hyaluronic acid, cellulose, agarose, chitin, dextran, carrageenan, linoleic acid, or allantoin.

1139157 Page 6 of 16

- 48. (Previously Presented) The matrix of Claim 43, wherein the proteins comprise collagen, cross-linked collagen, fibronectin, laminin, elastin, or cross-linked elastin.
- (Previously Presented) The matrix of Claim 43, wherein the metals comprise zinc or silver.
- (Previously Presented) The matrix of Claim 38, wherein the matrix comprises a stranded configuration.
- 51. (Previously Presented) The matrix of Claim 38, further comprising a water loss control agent comprising petrolatum, glycolipids, ceramides, free fatty acids, cholesterol, triglycerides, stervlesters, cholesteryl sulfate, linoleic ethyl ester, or silicone oil.
- (Previously Presented) The matrix of Claim 38, further comprising a plasticizer comprising glycerol, water, propylene glycol, or butanol.
- 53. (Previously Presented) The matrix of Claim 38, further comprising a hydration control agent comprising isopropyl alcohol, ethanol, glycerol, butanol, or propylene glycol.
- (Previously Presented) The matrix of Claim 40, wherein the non-gellable polysaccharide is guar gum.
- 55. (Previously Presented) The matrix of Claim 42, wherein the enzyme is catalase.
- 56. (Previously Presented) The matrix of Claim 39, wherein the oxygen delivery matrix further comprises a non-gellable polysaccharide.
- 57. (Previously Presented) The matrix of Claim 39, wherein the second reactant is a peroxide.

1139157 Page 7 of 16

- 58. (Previously Presented) The matrix of Claim 39, wherein the catalyst is a carbonate salt, a salt of iodide, manganese oxide, cupric chloride, ferric oxide, or an enzyme.
- 59. (Previously Presented ) The matrix of Claim 72, wherein the at least one active agent comprises gases, anti-microbial agents, anti-fungal agents, anti-bacterial agents, anti-viral agents, anti-parasitic agents, mycoplasma treatments, growth factors, proteins, nucleic acids, angiogenic factors, anesthetics, mucopolysaccharides, metals, pharmaceuticals, chemotherapeutic agents, herbicides, growth inhibitors, wound healing agents, growth promoters, indicators of change in the environment, enzymes, nutrients, vitamins, minerals, carbohydrates, fats, fatty acids, nucleosides, nucleotides, amino acids, sera, antibodies and fragments thereof, lectins, immune stimulants, immune suppressors, coagulation factors, neurochemicals, cellular receptors, antigens, adjuvants, or radioactive materials.

#### 60. (Canceled)

- 61. (Previously Presented) The matrix of Claim 59, wherein the anti-microbial agents comprises isoniazid, ethambutol, pyrazinamide, streptomycin, clofazimine, rifabutin, fluoroquinolones, ofloxacin, sparfloxacin, rifampin, azithromycin, clarithromycin, dapsone, tetracycline, erythromycin, ciprofloxacin, doxycycline, ampicillin, amphotericin B, ketoconazole, fluconazole, pyrimethamine, sulfadiazine, clindamycin, lincomycin, pentamidine, atovaquone, paromomycin, diclazaril, acyclovir, trifluorouridine, foscarnet, penicillin, gentamicin, ganciclovir, iatroconazole, miconazole, Zn-pyrithione, silver salts, chloride, bromide, iodide, or periodate.
- 62. (Previously Presented) The matrix of Claim 59, wherein the growth factors comprise basic fibroblast growth factor, acidic fibroblast growth factor, nerve growth factor, epidermal growth factor, insulin-like growth factors 1 and 2, platelet derived growth factor, tumor angiogenesis factor, vascular endothelial growth factor, corticotropin releasing factor, transforming growth factors  $\alpha$  and  $\beta$ , interleukin-8, granulocyte-macrophage colony stimulating factor, interleukins, or interferons.

1139157 Page 8 of 16

- 63. (Previously Presented) The matrix of Claim 59, wherein the mucopolysaccharides comprise heparin, heparin sulfate, heparinoids, dermatitin sulfate, pentosan polysulfate, chondroitin sulfate, hyaluronic acid, cellulose, agarose, chitin, dextran, carrageenan, linoleic acid, or allantoin.
- 64. (Previously Presented) The matrix of Claim 59, wherein the proteins comprise collagen, cross-linked collagen, fibronectin, laminin, elastin, or cross-linked elastin.
- (Previously Presented) The matrix of Claim 59, wherein the metals comprise zinc or silver.
- (Previously Presented) The matrix of Claim 39, wherein the matrix comprises a stranded configuration.
- 67. (Previously Presented) The matrix of Claim 39, further comprising a water loss control agent comprising petrolatum, glycolipids, ceramides, free fatty acids, cholesterol, triglycerides, stervlesters, cholesteryl sulfate, linoleic ethyl ester, or silicone oil.
- (Previously Presented) The matrix of Claim 39, further comprising a plasticizer comprising glycerol, water, propylene glycol, or butanol.
- 69. (Previously Presented) The matrix of Claim 39, further comprising a hydration control agent comprising isopropyl alcohol, ethanol, glycerol, butanol, or propylene glycol.
- (Previously Presented) The matrix of Claim 56, wherein the non-gellable polysaccharide is guar gum.
- 71. (Previously Presented) The matrix of Claim 58, wherein the enzyme is catalase.
- 72. (Previously Presented) The matrix of Claim 39, further comprising an active agent.

1139157 Page 9 of 16